



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/736,436	12/15/2003	Dan Li	CIS03-50(7980)	3432
58406 7590 11/28/2007 BARRY W. CHAPIN, ESQ. CHAPIN INTELLECTUAL PROPERTY LAW, LLC WESTBOROUGH OFFICE PARK 1700 WEST PARK DRIVE WESTBOROUGH, MA 01581			EXAMINER KHOSHNOODI, FARIBORZ	
			ART UNIT 2168	PAPER NUMBER
			MAIL DATE 11/28/2007	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

## Office Action Summary

Application No.

10/736,436

Applicant(s)

LI ET AL.

Examiner

Fariborz Khoshnoodi

Art Unit

2168

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 13 September 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-22 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 15 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

***Detailed Action***

***Response to amendment***

1. Applicant's arguments/amendments with respect to pending claims 1-22 filed September 13, 2007 have been fully considered and they are persuasive. Therefore, the rejection has been withdrawn. Hence, this office action is marked as "Non-Final".

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-22 are rejected under 35 U.S.C. § 103(a) as being unpatentable over Hefetz et al. United States Patent Publication No. 20040123238 A1 in view of Harman et al. United States Patent Publication No. 2003/0050931 A1.

As per claim 1:

Hefetz et al. teach a method comprising: **receiving a request for the portal from a client system** (*i.e.*, "The portal 220 receives requests from the clients 200 and uses portal templates to generate information

views 225 (e.g., web pages) in response." (Par. 33 lines 2-4)); **accessing a portal template in response to the request, the portal template having at least one dynamic portion** (i.e., "First, the scripting variable can enable differentiating code segments according to the requesting user agent (e.g., browser type, version, etc.). A portal UserAgent service can be accessed to detect the user agent in use. Second, the scripting variable can be used to resolve whether the JSP layout template is currently used for run-time or design-time purposes, and can condition code accordingly." (Par. 55)); **and providing the portal page to the client system** (i.e., "The portal 220 can implement a user-roles based system to personalize the common interface and the information views 225 for a user of a client 200." (Par. 33 lines 4-7)).

Hefetz et al. do not explicitly disclose for the portal template links to content cached. However, Harman et al. teach a method, **including into the at least one dynamic portion of the portal template links to content cached in the content engine and information about content availability to generate a portal page** (i.e., "The More tag is a sample link (template) used by the Markup Language module to create a link that points to a cached section of the content page if the page is to be split into smaller pieces. The User Agent module uses this tag to create "more" buttons in the final markup." (See Harman et al. Par. 105)... "The Transcoding Page Rendering

Art Unit: 2168

Engine (TRE), or transcoder, is a tool used to render content on any display environment." (See Harman et al. Par. 49)).

Therefore, it would have been obvious to a person in the art at the time the invention was made to modify the method disclosed in Hefetz et al. to have the portal template links to content cached. This modification would have been obvious because a person having ordinary skill in the art, at the time the invention was made, having the teachings of Hefetz et al. and Harman et al. before him/her, to modify the system of Hefetz et al. to include the portal template links to content cached of Harman et al., since it is suggested by Harman et al. such that, caching the pages would prevent waste of system resources and does not need to generate new pages each time a new page is uploaded and the cache is good as long as the session is valid and after termination of session all cached material for the session will be removed and save time and resources(i.e., "Caching the pages conserves system resources in that the markup does not need to be split and new pages generated each time a new page is uploaded to the viewing device. Each of these stored files has a unique id within the current session. Each "more" tag within a split deck points to this URL containing the next page in the deck. This URL can be of the form [http://host/session\\_id/cache\\_id.html](http://host/session_id/cache_id.html), for example. The cache is good as long as the session is valid; when the session is closed or expired, all cached material for that session will be removed." (See Harman et al. Par 157)).

As per claim 2:

Hefetz et al. as modified teach a method, **wherein including information about content availability further comprises the steps of comparing a replication status to a catalog of files carried in the content engine to determine what files are locally cached and what files remain to be downloaded** (i.e., "The JSP template 660 defines the general structure/design of the page layout, and page layout definitions for the JSP template 660 can be stored in a PCD (Portal Content Directory--metadata repository implementation of the portal) 630. A portal component profile for the layout component 670 can represent the page layout definitions as stored in the PCD 630, and/or the JSP template 660 can be stored in the PCD 630." (See Hefetz et al. Par. 56 lines 7-14)); **and writing a list of files that remain to be downloaded to the portal page with an indicator of unavailability** (i.e., "For example, a portal developer may create a template with two iViews: a first iView on the left in a narrow column with a list of items to select, and a second iView on the right in a wide column with details of a current item selected in the list. The portal developer can readily select which components to place on a page, set permissions and/or attributes for user-specific personalization, specify the layouts of multiple portal pages by defining the portal templates in the GUI that presents visual representations of the portal pages to

Art Unit: 2168

*be generated at run-time using the templates, and set the structure of the content components in the templates." (See Hefetz et al. Par. 45 lines 4-15)).*

As per claim 3:

Hefetz et al. as modified teach a method, **wherein the step of including links to content cached in the content engine further comprises the steps of: checking a replication status of the content engine to determine available cached content (i.e., "The WYSIWYG page editor can also include a list of all run-time content-presentation components currently available in the portal system, which can be dragged into and dragged out of content containers as desired in the GUI of the WYSIWYG page editor." (See Hefetz et al. Par. 28 lines 14-18)); **and including into the at least one dynamic portion of the portal template links to content found in the replication status (i.e., "The portal 220 can be a portal software product that includes out-of-the-box portal templates and portal development tools that can be used to create portal templates. These tools can be used by a portal developer and/or administrator to design and deploy a portal in a particular IT environment, and these tools include a WYSIWYG portal page editor. Dynamic content components of a portal page can be specified in a portal template using selectively interpreted content placeholders." (See Hefetz et al. Par. 38 lines 1-9)).****

As per claim 4:

Hefetz et al. as modified teach a method further comprising **the step of hiding at least one link to content not found in the replication status in the at least one dynamic portion of the portal template** (i.e., "The layout component 670 calls a content container tag handler 650 to pull the dynamic content from the main content storage 640 and place the dynamic content in specified position(s) in the page. For example, the tag handler 650 can call the ILayoutStructure 620 to get a list of the iViews it should include, and then turn to the main content storage 640 to get the iViews content to include in the page. With the dynamic content added, a final portal page 670 can then be sent to the page requester." (See Hefetz et al. Par.58)).

As per claim 5:

Hefetz et al. as modified teach a method, **wherein the portal template includes at least one applet and the step of including links into the portal template comprises running the at least one applet to acquire at least one pointer to content cached in the content engine** (i.e., "The defined page element can be a custom Java Server Page tag, the design-time translator and the run-time translator can be Java Server Page tag handlers for the custom Java Server Page tag, and the run-time translator can obtain portal dynamic content according to the portal page template whereas the



Art Unit: 2168

*design-time translator need not do so." (See Hefetz et al. Par. 9 lines 9-14)).*

As per claim 6:

Hefetz et al. as modified teach a method further comprising **the step of providing the portal template having at least one applet to the client system and wherein the client system instantiates the portal template including at least one applet and executes the at least one applet to acquire content cached in the content engine** (*i.e.*, "Invoking the *design-time translator can also result in client-side scripting components being included in the representation to form at least part of the design-time application and enable adding a content component to a content container in the portal page template using a drag-and-drop action. As before, the defined page element can be a custom Java Server Page tag, the design-time translator and the run-time translator can be Java Server Page tag handlers for the custom Java Server Page tag, and the run-time translator can obtain portal dynamic content according to the portal page template, whereas the design-time translator need not do so." (See Hefetz et al. Par. 12)).*

As per claim 7:

Hefetz et al. as modified teach a method, **wherein the step of accessing the portal**

Art Unit: 2168

**template further comprises reading a template stored in the content engine** (i.e., "The enterprise portal can include a portal platform in communication with a navigation platform accessed by the user. The portal platform can include a web server, a page builder, and an information view (AKA, integration view or iView) server. The portal platform can also include a unification server, user management components (e.g., a Corporate LDAP (Lightweight Directory Access Protocol) Directory and a Portal LDAP Directory), and a database repository. The database repository can include an SQL (Structured Query Language) Database and a Portal Content Directory (PCD)." (See Hefetz et al. Par. 36 lines 7-17)).

As per claim 8:

Hefetz et al. as modified teach a method, **wherein the step of accessing the portal template further comprises accessing a template stored at a portal page server in the content distributed network** (i.e., "FIG. 2 illustrates a portal-based networked environment. Multiple clients 200 can access data over a network 210 through a portal 220. The network 210 can be any communication network linking machines capable of communicating using one or more networking protocols, e.g., a local area network (LAN), a wide area network (WAN), an enterprise network, a virtual private network (VPN), a mobile

Art Unit: 2168

device network and/or the Internet. The clients 200 can be any machines or processes capable of communicating over the network 210. The clients 200 can be web browsers and can be communicatively coupled with the network 210 through a proxy server." (See Hefetz et al. Par. 32)).

As per claim 9:

Hefetz et al. as modified teach a method, **wherein the request is a redirected request from the client system, redirected away from a central site and to the content engine by a content router in the content distributed network** (i.e., "An enterprise portal and associated enterprise base systems can reside in one or more programmable machines, which can communicate over a network or one or more communication busses. For example, the enterprise portal can reside in one or more servers connected to a public network and can run one or more server software programs. The enterprise portal can include a portal platform in communication with a navigation platform accessed by the user. The portal platform can include a web server, a page builder, and an information view (AKA, integration view or iView) server. The portal platform can also include a unification server, user management components (e.g., a Corporate LDAP (Lightweight Directory Access Protocol) Directory and a Portal LDAP Directory), and a database repository. The database repository

Art Unit: 2168

*can include an SQL (Structured Query Language) Database and a Portal Content Directory (PCD)."* (See Hefetz et al. Par. 36)).

As per claim 10:

Hefetz et al. as modified teach a method, **wherein the request is a search request and the method further comprises the steps of: querying a central server in response to the search request** (i.e., "Moreover, the enterprise portal can include, or be in communication with, various other enterprise systems, such as a knowledge management platform, a text retrieval and extraction server, and a business warehouse platform. The knowledge management platform can be software for data preparation, including workflow, publishing, feedback, analysis, discussion, querying, indexing, profiling, concurrency control, and classification functionality." (See Hefetz et al. Par. 37 lines 3-11)); **and receiving a list of files in response to querying the central server** (i.e., "Portal development tools can be used to edit portal pages and tailor a portal to an organization and its information technology (IT) environment. Editing portal pages generally involves placing content components on the pages. In conventional portal development tools, this editing occurs in a user interface (UI) that provides a schematic representation of a portal page, including a schematic list of containers that

Art Unit: 2168

*hold run-time content." (See Hefetz et al. Par. 4 lines 1-8)); and wherein the step of including links to content further comprises including links to files from the list cached in the content engine (i.e., "A portal development tool can provide a GUI (graphic user interface) WYSIWYG portal template editor. The same portal template can be used by the template editor at design-time, while the template is being created, and by a server at run-time, when the template is deployed to portal users. Components of the portal template can be rendered the same at design-time as they are at run-time, with the exception that, at design-time, portal dynamic content in content containers can be replaced by a representation of the dynamic content." (See Hefetz et al. Par. 6)).*

As per claim 11:

Hefetz et al. as modified teach a method, **wherein the request is received at the content engine based on a network location of the content engine with respect to the client system** (i.e., "FIG. 2 illustrates a portal-based networked environment. Multiple clients 200 can access data over a network 210 through a portal 220. The network 210 can be any communication network linking machines capable of communicating using one or more networking protocols, e.g., a local area network (LAN), a wide area network (WAN), an enterprise network, a virtual private

Art Unit: 2168

*network (VPN), a mobile device network and/or the Internet."*

*(See Hefetz et al. Par. 32 lines 1-8)).*

As per claim 12:

Hefetz et al. teach a method comprising: **receiving a request for the channel portal from a client system** (*i.e.*, "The portal 220 receives requests from the clients 200 and uses portal templates to generate information views 225 (e.g., web pages) in response." (Par. 33 lines 2-4)); **accessing a channel portal template in response to the request, the channel portal template having at least one dynamic portion** (*i.e.*, "First, the scripting variable can enable differentiating code segments according to the requesting user agent (e.g., browser type, version, etc.). A portal UserAgent service can be accessed to detect the user agent in use. Second, the scripting variable can be used to resolve whether the JSP layout template is currently used for run-time or design-time purposes, and can condition code accordingly." (Par. 55)); **and providing the channel portal page to the client system** (*i.e.*, "The portal 220 can implement a user-roles based system to personalize the common interface and the information views 225 for a user of a client 200." (Par. 33 lines 4-7)).

Hefetz et al. do not explicitly disclose for the portal template links to content cached.

However, Harman et al. teach a method, **including into the at least one dynamic portion of the**

Art Unit: 2168

**channel portal template links to content cached in the content engine and information**

**about content availability to generate a channel portal page** (i.e., "The More tag is a sample link (template) used by the Markup Language module to create a link that points to a cached section of the content page if the page is to be split into smaller pieces. The User Agent module uses this tag to create "more" buttons in the final markup." (See Harman et al. Par. 105)... "The Transcoding Page Rendering Engine (TRE), or transcoder, is a tool used to render content on any display environment." (See Harman et al. Par. 49)).

Therefore, it would have been obvious to a person in the art at the time the invention was made to modify the method disclosed in Hefetz et al. to have the portal template links to content cached. This modification would have been obvious because a person having ordinary skill in the art, at the time the invention was made, having the teachings of Hefetz et al. and Harman et al. before him/her, to modify the system of Hefetz et al. to include the portal template links to content cached of Harman et al., since it is suggested by Harman et al. such that, caching the pages would prevent waste of system resources and does not need to generate new pages each time a new page is uploaded and the cache is good as long as the session is valid and after termination of session all cached material for the session will be removed and save time and resources(i.e., "Caching the pages conserves system resources in that the markup does not need to be split and new pages generated each time a new page is uploaded to the viewing

Art Unit: 2168

device. Each of these stored files has a unique id within the current session. Each "more" tag within a split deck points to this URL containing the next page in the deck. This URL can be of the form `http://host/session_id/cache_id.html`, for example. The cache is good as long as the session is valid; when the session is closed or expired, all cached material for that session will be removed." (See Harman et al. Par 157)).

As per claim 13:

Hefetz et al. as modified teach a method comprising: **checking a replication status of the content engine to determine channel content available at the content engine** (i.e., "The WYSIWYG page editor can also include a list of all run-time content-presentation components currently available in the portal system, which can be dragged into and dragged out of content containers as desired in the GUI of the WYSIWYG page editor." (See Hefetz et al. Par. 28 lines 14-18)); **and including into the at least one dynamic portion of the channel portal template links to channel content found in the replication status to generate the channel portal page** (i.e., "The portal 220 can be a portal software product that includes out-of-the-box portal templates and portal development tools that can be used to create portal templates. These tools can be used by a portal developer and/or administrator to design and deploy



Art Unit: 2168

*a portal in a particular IT environment, and these tools include a WYSIWYG portal page editor. Dynamic content components of a portal page can be specified in a portal template using selectively interpreted content placeholders." (See Hefetz et al. Par. 38 lines 1-9)).*

As per claim 14:

**Hefetz et al. as modified teach a method, wherein the request includes a search query for content in the channel, wherein the channel portal template includes an applet accepting a first input of the search query and a second input of a list of content in the channel and wherein the step of including links to content further includes the steps of: executing the applet to find content matching the search query (i.e., "The portal 220 can be a portal software product that includes out-of-the-box portal templates and portal development tools that can be used to create portal templates. These tools can be used by a portal developer and/or administrator to design and deploy a portal in a particular IT environment, and these tools include a WYSIWYG portal page editor. Dynamic content components of a portal page can be specified in a portal template using selectively interpreted content placeholders." (See Hefetz et al. Par. 38 lines 1-9)); determining whether the content matching the search query is cached at the content engine (i.e., "A portal development tool can**

Art Unit: 2168

provide a GUI (graphic user interface) WYSIWYG portal template editor. The same portal template can be used by the template editor at design-time, while the template is being created, and by a server at run-time, when the template is deployed to portal users. Components of the portal template can be rendered the same at design-time as they are at run-time, with the exception that, at design-time, portal dynamic content in content containers can be replaced by a representation of the dynamic content." (See Hefetz et al. Par. 6)); **and including into the at least one dynamic portion of the channel portal template links to channel content cached at the content engine** (i.e., "A portal brings together various applications from an intranet and an extranet that may or may not be related to one another. Traditional portal software products have included portal development tools that allow creation of portal templates to be used at portal run-time to generate portal pages for display. Run-time portal templates, such as may be implemented using Java Server Pages (JSP) and custom tag libraries, provide an efficient way to combine static data with dynamic run-time data for presentation to a user in a portal environment." (See Hefetz et al. Par. 3)).

As per claim 15:

Hefetz et al. teach a system comprising: **a network interface to receive a request for a**

**portal from a client system** (i.e., "The portal 220 provides a common interface to applications 240. The portal 220 receives requests from the clients 200 and uses portal templates to generate information views 225 (e.g., web pages) in response." (Par. 33 lines 1-4)); **a storage device to store content from the content distributed network and a portal template having at least one dynamic portion** (i.e., "The dynamic run-time content can be gathered in parallel (e.g., by using java multi-threading) to improve performance. For example, the iViews content for the page can be fetched from an iViews content gathering resource 610, which can be one or more program components that gather iViews content for the page in parallel (e.g., an iView server). The fetched content blocks can be stored in a main content storage 640 by the page builder 600 as they are obtained. The fetched dynamic content can be stored in blocks with no ordering, such as in an array of iViews' content." (Par. 57)).

Hefetz et al. do not explicitly disclose for the portal template links to content cached. However, Harman et al. teach a method, **a controller coupled to the interface and the storage device, the controller configured to access the portal template in response to the request, to include in the at least one dynamic portion of the portal template links to content cached in the content engine and information about content availability to generate a portal page, and to provide the portal page to the client system** (i.e., "Finally,

*for maximum control, content may be written directly to the target markup language and passed through the first three modules unchanged. Content written directly in the target markup language can also be passed to the viewing device without further processing (referred to as pass-through markup)." (See Harman et al. Par. 85)... "The More tag is a sample link (template) used by the Markup Language module to create a link that points to a cached section of the content page if the page is to be split into smaller pieces. The User Agent module uses this tag to create "more" buttons in the final markup." (See Harman et al. Par. 105)... "The Transcoding Page Rendering Engine (TRE), or transcoder, is a tool used to render content on any display environment." (See Harman et al. Par. 49)).*

Therefore, it would have been obvious to a person in the art at the time the invention was made to modify the method disclosed in Hefetz et al. to have the portal template links to content cached. This modification would have been obvious because a person having ordinary skill in the art, at the time the invention was made, having the teachings of Hefetz et al. and Harman et al. before him/her, to modify the system of Hefetz et al. to include the portal template links to content cached of Harman et al., since it is suggested by Harman et al. such that, caching the pages would prevent waste of system resources and does not need to generate new pages each time a new page is uploaded and the cache is good as long as the session is valid and after termination of session all cached material for the session will be removed and save time and

Art Unit: 2168

resources (i.e., "Caching the pages conserves system resources in that the markup does not need to be split and new pages generated each time a new page is uploaded to the viewing device. Each of these stored files has a unique id within the current session. Each "more" tag within a split deck points to this URL containing the next page in the deck. This URL can be of the form `http://host/session_id/cache_id.html`, for example. The cache is good as long as the session is valid; when the session is closed or expired, all cached material for that session will be removed." (See Harman et al. Par 157)).

As per claim 16:

Hefetz et al. as modified teach a method, wherein the storage device further includes a replication status of the content engine and the controller is further configured to check the replication status to determine available cached content, the controller further to include into the at least one dynamic portion of the portal template links to content found in the replication status (i.e., "The portal 220 can be a portal software product that includes out-of-the-box portal templates and portal development tools that can be used to create portal templates. These tools can be used by a portal developer and/or administrator to design and deploy a portal in a particular IT environment, and these tools include a WYSIWYG portal page

Art Unit: 2168

*editor. Dynamic content components of a portal page can be specified in a portal template using selectively interpreted content placeholders." (See Hefetz et al. Par. 38 lines 1-9)).*

As per claim 17:

Hefetz et al. as modified teach a method, **wherein the portal template includes at least one applet and the controller is further configured to run the at least one applet to acquire at least one pointer to content cached in the content engine** (*i.e.*, "The defined page element can be a custom Java Server Page tag, the design-time translator and the run-time translator can be Java Server Page tag handlers for the custom Java Server Page tag, and the run-time translator can obtain portal dynamic content according to the portal page template whereas the design-time translator need not do so." (See Hefetz et al. Par. 9 lines 9-14)).

As per claim 18:

Hefetz et al. as modified teach a method, **wherein the portal is a channel portal and the portal template is a channel portal template and the controller is further configured to include into the at least one dynamic portion of the channel portal template links to content cached in the content engine to generate a channel portal page** (*i.e.*, "A portal development tool can provide a GUI (graphic user interface) WYSIWYG portal template editor. The same portal template can be

*used by the template editor at design-time, while the template is being created, and by a server at run-time, when the template is deployed to portal users. Components of the portal template can be rendered the same at design-time as they are at run-time, with the exception that, at design-time, portal dynamic content in content containers can be replaced by a representation of the dynamic content."* (See Hefetz et al. Par. 6)).

As per claim 19:

**Hefetz et al. as modified teach a method, wherein the storage device further stores a replication status of the content engine and the controller is further configured to check the replication status to determine channel content available at the content engine and to include into the at least one dynamic portion of the channel portal template links to channel content found in the replication status to generate a channel portal page (i.e.,**  
*"The portal 220 can be a portal software product that includes out-of-the-box portal templates and portal development tools that can be used to create portal templates. These tools can be used by a portal developer and/or administrator to design and deploy a portal in a particular IT environment, and these tools include a WYSIWYG portal page editor. Dynamic content components of a portal page can be specified in a portal template using selectively interpreted content placeholders."*  
*(See Hefetz et al. Par. 38 lines 1-9)).*

Art Unit: 2168

As per claim 20:

Hefetz et al. as modified teach a method, **wherein the request includes a search query for content in the channel, wherein the channel portal template includes an applet that accepts a first input of the search query and a second input of a list of content in the channel, and wherein the controller is further configured to execute the applet to find content matching the search query, to determine whether the content matching the search query is cached at the content engine, and to include into the at least one dynamic portion of the channel portal template links to channel content cached at the content engine**

*(i.e., "The portal 220 can be a portal software product that includes out-of-the-box portal templates and portal development tools that can be used to create portal templates. These tools can be used by a portal developer and/or administrator to design and deploy a portal in a particular IT environment, and these tools include a WYSIWYG portal page editor. Dynamic content components of a portal page can be specified in a portal template using selectively interpreted content placeholders."*

*(See Hefetz et al. Par. 38 lines 1-9)... "A portal development tool can provide a GUI (graphic user interface) WYSIWYG portal template editor. The same portal template can be used by the template editor at design-time, while the template is being created, and by a server at run-time, when the template is deployed to portal users. Components of the portal template can be rendered the same at design-time as they are at run-time,*



Art Unit: 2168

*with the exception that, at design-time, portal dynamic content in content containers can be replaced by a representation of the dynamic content." (See Hefetz et al. Par. 6)... "A portal brings together various applications from an intranet and an extranet that may or may not be related to one another. Traditional portal software products have included portal development tools that allow creation of portal templates to be used at portal run-time to generate portal pages for display. Run-time portal templates, such as may be implemented using Java Server Pages (JSP) and custom tag libraries, provide an efficient way to combine static data with dynamic run-time data for presentation to a user in a portal environment." (See Hefetz et al. Par. 3)).*

As per claim 21:

Hefetz et al. teach a method comprising: **providing a manifest file to establish a channel of content in the content distributed network, the manifest file describing channel content, the manifest file further including a portal template, the portal template including at least one dynamic portion** (*i.e.*, "In another aspect, a technique, which can be implemented in a software product, involves translating a placeholder in a portal template, during design-time of a portal page, into a representation of a container designed to present portal dynamic content associated with the placeholder, and presenting a WYSIWYG portal layout editor using

Art Unit: 2168

*the representation of the container designed to present the portal dynamic content."*(Par. 10 lines 1-8)) ; **providing at least one content engine to cache a portion of channel content and to cache the portal template** (*i.e., "Then, during run-time of a portal page, obtaining the portal dynamic content from a dynamic content source, and translating the placeholder in the portal template into a presentation of the container and the obtained portal dynamic content."*(Par. 10 lines 8-12)); **receiving at the at least one content engine a request for the Web portal from a client system** (*i.e., "The portal 220 provides a common interface to applications 240. The portal 220 receives requests from the clients 200 and uses portal templates to generate information views 225 (e.g., web pages) in response."*(Par. 33 lines 1-4)); **accessing by the at least one content engine the portal template in response to the request** (*i.e., "First, the scripting variable can enable differentiating code segments according to the requesting user agent (e.g., browser type, version, etc.). A portal UserAgent service can be accessed to detect the user agent in use. Second, the scripting variable can be used to resolve whether the JSP layout template is currently used for run-time or design-time purposes, and can condition code accordingly."* (Par. 55)); **and providing by the content engine the Web portal page to the client system** (*i.e., "The portal 220 provides a common*

*interface to applications 240. The portal 220 receives requests from the clients 200 and uses portal templates to generate information views 225 (e.g., web pages) in response. The portal 220 can implement a user-roles based system to personalize the common interface and the information views 225 for a user of a client 200" (Par. 33 lines 1-7)).*

Hefetz et al. do not explicitly disclose for the portal template links to content cached. However, Harman et al. teach a method, **including by the at least one content engine into the least one dynamic portion of the portal template links to content cached in the content engine to generate a Web portal page** (*i.e.*, "The More tag is a sample link (template) used by the Markup Language module to create a link that points to a cached section of the content page if the page is to be split into smaller pieces. The User Agent module uses this tag to create "more" buttons in the final markup." (See Harman et al. Par. 105)... "The Transcoding Page Rendering Engine (TRE), or transcoder, is a tool used to render content on any display environment." (See Harman et al. Par. 49)).

Therefore, it would have been obvious to a person in the art at the time the invention was made to modify the method disclosed in Hefetz et al. to have the portal template links to content cached. This modification would have been obvious because a person having ordinary skill in the art, at the time the invention was made, having the teachings of Hefetz et al. and Harman et al. before him/her, to modify the system of Hefetz et al. to include the portal template links to

Art Unit: 2168

content cached of Harman et al., since it is suggested by Harman et al. such that, caching the pages would prevent waste of system resources and does not need to generate new pages each time a new page is uploaded and the cache is good as long as the session is valid and after termination of session all cached material for the session will be removed and save time and resources (i.e., "Caching the pages conserves system resources in that the markup does not need to be split and new pages generated each time a new page is uploaded to the viewing device. Each of these stored files has a unique id within the current session. Each "more" tag within a split deck points to this URL containing the next page in the deck. This URL can be of the form `http://host/session_id/cache_id.html`, for example. The cache is good as long as the session is valid; when the session is closed or expired, all cached material for that session will be removed." (See Harman et al. Par 157)).

As per claim 22:

Hefetz et al. teach a **computer program product having a computer-readable medium including computer program logic encoded thereon that, when performed on a computer system having a coupling of a memory, a processor, and at least one communications interface, provides a method for dynamically providing a Web portal in a content distributed network by performing the operations of: receiving a request for the portal from a client system** (i.e., "The portal 220 provides a common

Art Unit: 2168

*interface to applications 240. The portal 220 receives requests from the clients 200 and uses portal templates to generate information views 225 (e.g., web pages) in response."* (Par. 33 lines 1-4)); **accessing a portal template in response to the request, the portal template having at least one dynamic portion** (*i.e., "The portal 220 can receive information 245 from the applications 240 to fulfill requests from the clients 200; this information can be dynamic content and the applications 240 can be dynamic content sources."*(Par. 33 lines 9-13)); **and providing the portal page to the client system** (*i.e., "The portal 220 provides a common interface to applications 240. The portal 220 receives requests from the clients 200 and uses portal templates to generate information views 225 (e.g., web pages) in response. The portal 220 can implement a user-roles based system to personalize the common interface and the information views 225 for a user of a client 200."*(Par. 33 lines 1-7)).

Hefetz et al. do not explicitly disclose for the portal template links to content cached.

However, Harman et al. teach a method, **including into the at least one dynamic portion of the portal template links to content cached in the content engine and information about content availability to generate a portal page** (*i.e., "The More tag is a sample link (template) used by the Markup Language module to create a link that points to a cached section of the content page if the*

Art Unit: 2168

*page is to be split into smaller pieces. The User Agent module uses this tag to create "more" buttons in the final markup."*

*(See Harman et al. Par. 105)... "The Transcoding Page Rendering Engine (TRE), or transcoder, is a tool used to render content on any display environment." (See Harman et al. Par. 49)).*

Therefore, it would have been obvious to a person in the art at the time the invention was made to modify the method disclosed in Hefetz et al. to have the portal template links to content cached. This modification would have been obvious because a person having ordinary skill in the art, at the time the invention was made, having the teachings of Hefetz et al. and Harman et al. before him/her, to modify the system of Hefetz et al. to include the portal template links to content cached of Harman et al., since it is suggested by Harman et al. such that, caching the pages would prevent waste of system resources and does not need to generate new pages each time a new page is uploaded and the cache is good as long as the session is valid and after termination of session all cached material for the session will be removed and save time and resources (i.e., "Caching the pages conserves system resources in that the markup does not need to be split and new pages generated each time a new page is uploaded to the viewing device. Each of these stored files has a unique id within the current session. Each "more" tag within a split deck points to this URL containing the next page in the deck. This URL can be of the form `http://host/session_id/cache_id.html`, for example. The cache is good as long as the session is valid; when the

*session is closed or expired, all cached material for that session will be removed.”(See Harman et al. Par 157)).*

### ***Response to Arguments***

3. Applicant’s remarks and arguments presented on September 13, 2007 have been fully considered but they are moot in view of the new grounds of rejection presented in this office action.

### ***Conclusion***

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fariborz Khoshnoodi whose telephone number is 571-270-1005. The examiner can normally be reached on M-Th every other F 8:00-4:00..

If attempts to reach the examiner by telephone are unsuccessful, the examiner’s supervisor, Tim Vo can be reached on 571-272-3642. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2168

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Fariborz Khoshnoodi  
Examiner  
Art Unit 2168

FK

1/2/07



TIM VO  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100